

64 Channel, 8MP Network Video Recorder NP-R-NVRP864-4K



- 3840x2160@60Hz
- 16-ch Synchronous Playback
- 8 SATAs, Up to 80TB
- Simultaneous HDMI Outputs
- Supports Cloud Firmware Upgrades
- ONVIF Support
- 1-ch 4K HDMI, 1-ch 1080p HDMI Outputs
- 1 Gigabit RJ45 Ethernet Interface
- 2 USB2.0 Ports, 1 USB3.0 Ports
- 16 Alarm inputs, 4 alarm outputs
- Ultra 265/H.265/H.264 Support
- Black Colour



Front View




Side View

Technical Specifications

Recorder	NP-R-NVRP864-4K
IP Video Input	64 Channels
Two-way Audio Input	1-Ch, RCA
Network	
Incoming Bandwidth	320Mbps
Outgoing Bandwidth	320Mbps
Remote Users	128
Protocols	IPV4, IPV6, SNMP,P2P, UPnP, NTP, DHCP, PPPoE, HTTP, SMTP, TCP/IP, RTSP
Video/Audio Output	
HDMI Output	4K (3840x2160)@60Hz, 4K (3840x2160)@30Hz, 1920x1080p@60Hz, 1920x1080p@50Hz, 1600x1200@60Hz, 1280x1024@60Hz, 1280x720@60Hz, 1024x768@60Hz
HDMI Output 2	1920x1080p@60Hz, 1920x1080p@50Hz, 1600x1200@60Hz, 1280x1024@60Hz, 1280x720@60Hz, 1024x768@60Hz
CVBS Output	1-Ch, BNC
Recording Resolution	12MP/8MP/6MP/5MP/4MP/3MP/1080p/960p/720p/D1/2CIF/CIF
Audio Output	1-Ch, RCA
Synchronous Playback	16 Channels
Corridor Mode Screen	3/4/5/7/9/10/12/16/32
Decoding	
Decoding Format	Ultra 265/H.265/H.264
Liveview/Playback	12MP/8MP/6MP/5MP/4MP/3MP/1080p/960p/720p/D1/2CIF/CIF
Capability	3x 12MP@25fps 4x 4K@30fps 8 x 4MP@30fps 16x 2MP@30fps 32x 960p@25fps 36x720p@30fps 64x D1
Hard Disk	
SATA	8 SATA Interfaces
Capacity	Up to 10TB per Disk
eSATA	1 eSATA Interface
Disk Array	
Array Type	RAID 0, 1, 5, 6, 10

External Interface	
Network Interface	2 RJ45 10M/100M/1000M self-adaptive Ethernet Interfaces
Serial Interface	1x RS232, 1x RS485
USB Interface	Front panel: 2x USB2.0, Rear panel: 1x USB3.0
Alarm In	16 Channels
Alarm Out	4 Channels
General	
Power Supply	100 ~ 240 VAC
Power Consumption	≤ 20 W(without HDD)
Working Environment	-10°C ~ + 55°C (+14°F ~ +131°F), Humidity ≤ 90% RH(non-condensing)
Dimensions (WxDxH)	442mm×425mm×86mm (17.4"×16.7"×3.4")
Weight (W/out HDD)	≤ 5.13 Kg (11.31 lb)
Certification	CE, FCC, ISO9001, ISO14001

Dimensions



[illegible]